Insert for ultra-precision automatic Swiss lathe machining (medium cutting to finishing)

MS Chip Breaker

(+Auto Tools KHP Coolant)



- Highly precise grinding technology realizes sharp cutting edge and reduced cutting heat increases tool life and surface finish.
- Chip breaker designed for good chip flow ensures chip control even in cutting conditions with poor chip evacuation.





Insert for ultra-precision automatic Swiss lathe machining (medium cutting to finishing)

MS Chip Breaker

As industries keep being advanced, the demand for unmanned automatic lathe and machining hard-to-cut materials for small sized precise components have been increasing. Especially, pure titanium (Grade 3 and 4) and titanium alloy (Ti-6Al-4V) used for high precision parts such as implant are having poor machinability due to high cutting heat and welding which requires high precision and good surface finish.

KORLOY newly launched a chip breaker, ultra-precision MS for Auto Tools realizing high machinability in ultra-precision components such as implants made of hard-to-cut materials machining.

The **MS** chip breaker applied special 3D structured design to enhance chip evacuation function per variation of cutting depth and implemented high precise grinding process to actualize detailed nose R shape with sharp edge. With these, it could minimize cutting heat and built up edge occurrence while machining titanium.

It also prevents micro chipping by adapting ultra-fine substrate which equalized refined structure. Special surface treatment added PVD also ensures excellent surface roughness and enhanced tool life with high hardness and great anti-oxidation.

Besides, tight tolerance and deviation management in producing inserts for minimizing dimension deviations of corners and products provide convenience to users as it allows to users not to concern about tool offset in changing insert corners.

The MS chip breaker would provide the best solution to customers in necessity to precisely machine hard-to-cut materials with combination of premium level management in design, manufacturing, and quality, and grades matching like PC8100 and PC5300 having high hardness and thermal resistance.



Improved chip control

- Excellent chip cutting and evacuation due to three-dimensional shaped design

Better surface finish

 Mirror-liked finished cutting edge through special surface treatment

Longer tool life


- Ultra-fine substrate and high hardness coating
- Reduced cutting heat due to sharp cutting edge

High precise tool deviations

- Minimized dimension deviations for each insert corners and items

Code system

[Insert]




Insert tolerance

(mm)

Туре	Designation	d (Inscribed circle)	t (Height of cutting edge)	m (m size)	r (Nose R)	Geometries
High precision	VCGT110301-MS	±0.025	±0.04	±0.025	±0.02	
Ultra- precision	VCGT110301MFN-MS	±0.02	±0.02	±0.02	±0.01	r l

^{**} Ultra-precision insert with tight tolerance and deviation management is recommended in high precision and low deviation machining.

Application range



Machining	Chip breaker	ap (mm)	fn (mm/rev)
Medium cutting (for toughness)	VP1	0.2 - 4.0	0.05 - 0.30
Medium cutting (for surface roughness)	MS	0.1 - 3.0	0.03 - 0.25
Finishing	FS	0.1 - 3.0	0.10 - 0.20

MS Chip breaker new





For medium cutting (for surface roughness)


- 1st recommended chip breaker
- Surface roughness in medium cutting range

VP1 Chip breaker

For medium cutting (for reinforced cutting edge)



- 2nd recommended chip breaker for medium cutting
- For strength of cutting edge in medium cutting





For finishing (for surface roughness)





- 1st recommended chip breaker for chip control
- · Better surface roughness, surface finish and chip control

Features

MS Chip breaker

- Sharp cutting edge with welding resistance reducing the cutting heat is necessary for machining hard-to-cut materials.
- Chip evacuation is increased in low to high feed cutting conditions.







Sharp cutting edge




Improved surface finish



Special coating surface treatment technology







[Auto Tools] [General tool]

▶ Precise nose R, sharp cutting edge and better surface finish realize high productivity and decrease dimension deviation.


Performance evaluation


Wear resistance

• Workpiece Pure titanium (5832-2)

• Cutting conditions n (rpm) = 3,500, fn (mm/rev) = 0.03, ap (mm) = 0.5, wet

• Tool Insert VCGT1203008FN-MS (PC8110) Holder SVJCR1212-X12A





▶ Ultra-fine substrate and high hardness coating ensure stable tool life.

Chip control and surface finish

• Workpiece X5CrNi18-9

• Cutting conditions n (rpm) = 4,000, fn (mm/rev) = 0.03, ap (mm) = 0.1, 0.3, 0.5, wet

• Tool Insert VCGT120302FN-MS (PC5300) Holder SVJCR1212-X12A















[MS] [Competitor]

▶ Three-dimensional shaped design of chip breaker increases chip evacuation.













[Competitor]

▶ Sharp and mirror-like finished cutting edge improves surface finish.

Dimension precision






▶ Changing tool offset in switching insert corners and items is not necessary using MS chip breaker due to tight dimension deviation management.

The comparison of chip breaker


Category	Application	KORLOY	Competitor A	Competitor B	Competitor C	Competitor D	Competitor E	Competitor F
	Medium cutting (for surface finish)	MS new	GF	LS	01	FC	MN4	FN-None
Chip breaker	Medium cutting (for toughness)	VP1	GQ	LS	-	SC	MN4	FN-None
	Finishing	FS COMMING	SK	SMG	JS	SI	FN2	-
Grade	General cutting	PC5300	PR1125	VP15TF	SH725	AC1030U	WSM20	D60
Grade	S10	PC8110	PR915	VP10RT	SH730	AC510U	WSM10	D20

Grade features



PC5300

- Coating layer with oxidation resistance and high hardness at high temperature
 - Good oxidation resistance in steel, cast iron, stainless steel and HRSA machining
- $\bullet \ \text{Applying ultra-fine high toughness substrate and surface treatment technology on coating layer}\\$
- Improved welding and chipping resistance



PC8110

- Coating layer with good surface finish, high hardness at high temperature and oxidation resistance reduces wear at high temperature.
- Controlling ultra-fine microstructure regularly ensures stable machinability, high chipping and wear resistance.

Grades and recommended cutting conditions

14	(l!	Grade		Recommended cutting conditions (m/min)												
VV	orkpiece	Grade	50	100	200	300	600									
Р	Ctool	PC8110		80	200											
	Steel	PC5300	60		160											
M	Stainless	PC8110		80 130												
IVI	steel	PC5300		80	160											
K	Cast iron	PC8110		100	180											
K	Cast IIOII	PC5300		90	160											
N	Non-ferrous	H05			150		600									
IV	metal	PC8110			150		600									
		H05	35 65													
S	HRSA	PC8110	35 65													
		PC5300	25 55													

Auto Tools chip breaker selection guide


- MS

— VP1

— FS

– KM

— KF







- For medium cutting (For surface finish)
- Preventing welding in Titanium machining
- Improving chip evacuation in high feed machining
- Protecting cutting edge from structure without chip blockage

VP1



- For medium cutting (For reinforced cutting edge)
- Preventing chipping due to reinforced cutting edge in machining general alloy steel and stainless steel







- For finishing (For surface finish)
- Inducing soft cutting by depth of cut
- Increasing surface finish due to threedimensional cutting edge design
- Available in various machining ranges from optimal chip breaker shape

KM



- · For finishing and medium cutting
- Longer tool life and increased machinability from improved chip flow
- Deep machining due to deep and wide groove

KF

For finishina



- Low cutting load from sharp cutting edge
- Reduced resistance of chip evacuation in high speed machining
- Good surface finish

ISO	Chip breaker	Surface finish	Chip cutting	Shallow machining	Deep machining	High feed
	MS new	***	***	***	***	***
M class	VP1	**	***	**	***	***
	FS COMMING	***	***	***	*	*
Ground	KM	***	*	*	***	*
class	KF	***	**	***	*	**

Application examples


Pure titanium (5832-2)

• Workpiece use Plate

• Cutting conditions n (rpm) = 4,000, fn (mm/rev) = 0.01, ap (mm) = 1.0, wet

Tools Insert VCGT120302FN-MS (PC8110) Holder SVJCR1212-X12A





- Sharp cutting edge and mirror-like coating prevent cutting heat and welding.
- Ultra-fine substrate prevents micro chipping and coating layer with high hardness at high temperature and good oxidation resistance increases tool life.


Titanium alloy (5832-3)

• Workpiece use Fixture (Implant)

• Cutting conditions n (rpm) = 5,000, fn (mm/rev) = 0.03, ap (mm) = 0.5, wet

Tools
 Insert VCGT120301FN-MS (PC5300)
 Insert SVJCR1212-X12A





- Sharp cutting edge and mirror-like coating prevent cutting heat and welding.
- Ultra-fine substrate prevents micro chipping and coating layer with high hardness at high temperature and good oxidation resistance increases tool life.


Titanium alloy (5832-3)

• Workpiece use Abutment (Implant)

• Cutting conditions n (rpm) = 5,000, fn (mm/rev) = 0.05, ap (mm) = 0.1, wet

Tools Insert VCGT1203008FN-MS (PC8110) Insert SVJCR1212-X12A





- Sharp cutting edge and mirror-like coating prevent cutting heat and welding.
- Ultra-fine substrate prevents micro chipping and coating layer with high hardness at high temperature and good oxidation resistance increases tool life.

Stock items

[Ultra-precision insert]

				Coa	ated	Uncoated		Dime	nsions	(mm)		Cutting c	onditions	
	Inserts		Designation		PC5300 PC8110		ı	d	t	r	d ₁	fn (mm/rev)	ap (mm)	Geometries
ing ion)		CCGT	09T301MFN-MS	•	•		9.8	9.525	3.97	< 0.1	4.4	0.02-0.12	0.05-1.00	, r
Medium cutting (Ultra-precision)			09T302MFN-MS	•	•		9.6	9.525	3.97	< 0.2	4.4	0.03-0.13	0.07 - 1.30	d
Med Ultr			09T304MFN-MS	•	•		9.2	9.525	3.97	< 0.4	4.4	0.05-0.18	0.09-1.30	80
ting ion)		DCGT	11T301MFN-MS	•	•		11.6	9.525	3.97	< 0.1	4.4	0.02-0.12	0.05-1.00	
dium cut ra-precis	Medium cutting (Ultra-precision)		11T302MFN-MS	•	•		11.6	9.525	3.97	< 0.2	4.4	0.03-0.13	0.07 - 1.30	d di
Mec Ultr			11T304MFN-MS	•	•		11.6	9.525	3.97	< 0.4	4.4	0.05-0.18	0.09-1.30	55° 🗸 📗
ting ion)		VCGT	110301MFN-MS	0	0		11.0	6.35	3.18	< 0.1	2.8	0.02-0.12	0.05-1.00	<u>, </u>
Medium cutting (Ultra-precision)			110302MFN-MS	0	0		11.0	6.35	3.18	< 0.2	2.8	0.03-0.13	0.07 - 1.30	35° d d d d 1
Mec Ult			110304MFN-MS	0	0		11.0	6.35	3.18	< 0.4	2.8	0.05-0.18	0.09-1.30	
		VCGT	1203008FN-MS	•	•		12.0	7.50	3.00	0.08	2.8	0.01 - 0.10	0.05-1.10	
Medium cutting (Ultra-precision)			120301FN-MS	•	•		12.0	7.50	3.00	0.10	2.8	0.03-0.13	0.06-1.20	,
Medium (Ultra-pr			120302FN-MS	•	•		12.0	7.50	3.00	0.20	2.8	0.04-0.15	0.08-1.50	35° d d di
	25		120304FN-MS	•	•		12.0	7.50	3.00	0.40	2.8	0.06-0.20	0.10-1.50	

• : Stock item : O: In stock (October. 2020)

[High precision insert]

				Co	ated	Uncoated		Dime	nsions	(mm)		Cutting c	onditions		
	Inserts		Designation		PC5300 PC8110 H05		ı	d	t	r	d 1	fn (mm/rev)	ap (mm)	Geometries	
ting ion)		ссст	09T301-MS	•	•		9.8	9.525	3.97	0.1	4.4	0.02-0.12	0.05-1.00		
Medium cutting (High precision)			09T302-MS	•	•		9.6	9.525	3.97	0.2	4.4	0.03-0.13	0.07 - 1.30	d d	
E Me			09T304-MS	•	•		9.2	9.525	3.97	0.4	4.4	0.05-0.18	0.09-1.30	80° \ - - =	
ting ion)		DCGT	11T301-MS	•	•		11.6	9.525	3.97	0.1	4.4	0.02-0.12	0.05-1.00		
Medium cutting (High precision)			11T302-MS	•	•		11.6	9.525	3.97	0.2	4.4	0.03-0.13	0.07 - 1.30	d d	
E E			11T304-MS	•	•		11.6	9.525	3.97	0.4	4.4	0.05-0.18	0.09-1.30	55"	
tting sion)		VCGT	110301-MS	0	0		11.0	6.35	3.18	0.1	2.8	0.02-0.12	0.05-1.00		
Medium cutting (High precision)			110302-MS	0	0		11.0	6.35	3.18	0.2	2.8	0.03-0.13	0.07 - 1.30	35° d d d d d 7°	
Med (Hig		110304-MS	0	0		11.0	6.35	3.18	0.4	2.8	0.05-0.18	0.09-1.30	· ·		

•: Stock item O: In stock (October. 2020)

Auto Tools (KHP Coolant)


Code system

[Holder]

S	C	Ļ	C	; F	R/L	12	12	-	X	09	A	-	KHP
Clamping method of insert S: Screw on system		Holder sty L: 95° J: 93°	le		i land Right Left		Width of sh			Length of inser cutting 07, 09, 11, 12	t		KORLOY High ssure coolant
C: D:	ert sha C type D type V type	; e ;	Cleara angle of	f insert	J	nt of sh 2 mm	ank		ith of h 120 m		uto To	ols	

Features


- Coolant holder for high productivity in automatic lathe machining
- Increased cooling and chip control due to concentrated injection on the main cutting edge and nose R with injecting coolant through 2 holes
- Turning solution for high productivity and better chip control in Titanium machining
- Increased chip control from 2 coolant holes with different injecting angles
- Convenience due to quick clamping of quick hose adapter and quick hose



Parts


	Shape	Geometries	Length	Q clamping dimensions	S clamping dimensions
Quick to straight	HPHZ5/16UNF3/8UNF-500	Q QUICK S	500 mm	UNF5/16	-
Quick adapter	HPAQ5/16UNF	UNF5/16 QUICK	18.5 mm	UNF	5/16

SCLCR/L




• : Stock item

SDJCR/L



• : Stock item

SVJCR/L



• : Stock item

www.korloy.com



Holystar B/D, 1350, Nambusunhwan-ro, Geumcheon-gu, Seoul, 08536, Korea Tel: +82-2-522-3181 Fax: +82-2-522-3184, +82-2-3474-4744 Web: www.korloy.com E-mail: sales.khq@korloy.com

E-mail: sales.keg@korloy.com

CEP06460-010, SP, Brasil

(A) KORLOY BRASIL

KORLOY EUROPE

Gablonzer Str. 25-27, 61440 Oberursel, Germany

Av. Aruana 280, conj.12, WLC, Alphaville, Barueri,

Tel: +49-6171-277-83-0 Fax: +49-6171-277-83-59



KORLOY AMERICA

620 Maple Avenue, Torrance, CA 90503, USA Tel: +1-310-782-3800 Toll Free: +1-888-711-0001 Fax: +1-310-782-3885 E-mail: sales.kai@korloy.com



KORLOY INDIA

Plot No. 415, Sector 8, IMT Manesar, Gurgaon 122051, Haryana, India Tel: +91-124-4391790 Fax: +91-124-4050032 E-mail: sales.kip@korloy.com



(A) KORLOY TURKEY

Orucreis Mah. Vadi Cad. No: 108 Istanbul Ticaret Sarayi Kat 5 No: 318 Giyimkent Sitesi-Esenler/Istanbul, Turkey



(A) KORLOY RUSSIA

Krasivy Dom office No. 305, Bld. 5, Novovladykinskiy proezd 8, 127106, Moscow, Russia

Tel: +7-495-280-1458 Fax: +7-495-280-1459 E-mail: sales.krc@korloy.com

(A) KORLOY CHILE

Av. Providencia 1650, Office 1009, 7500027 Providencia-Santiago, Chile

KORLOY MEXICO

Queretaro, Mexico E-mail: sales.kml@korloy.com

(A) KORLOY FACTORY QINGDAO

Ground Dongjing Road 56(B) District Free Trade Zone. Qingdao, China Tel: +86-532-86959880 Fax: +86-532-86760651 E-mail: pro.kfq@korloy.com



KORLOY FACTORY INDIA

Plot No. 415, Sector 8, IMT Manesar, Gurgaon 122051, Haryana, India Tel: +91-124-4391790 Fax: +91-124-4050032

E-mail: pro.kim@korloy.com